



4710 Series VM Vertical Multistage



**Flows to: 950 GPM
Heads to: 952 Feet
Temperatures to: 250°F**

SERIES 4710

MODEL VM

CLOSE-COUPLED VERTICAL MULTISTAGE

Sizes: 1" to 6" Discharge
Flows: To 950 GPM
Heads: To 952 feet
Temp: To 250°F

Services:


Fire Protection
Booster
Circulation
Boiler Feed
OEM

EXTERIOR SHELL

- Supplied standard in 304 stainless steel
- Optional 316 stainless steel construction available upon request
- Upper and lower O-ring construction ensure a leak free pump rated for high pressure applications

IMPELLER/DIFFUSER STACK

- Supplied standard in 304 stainless steel
- Optional 316 stainless steel construction available upon request
- Impellers and diffusers are designed for maximum efficient
- Wide variety of bearing construction based on fluid and application
- Oversized and heavy duty 420 stainless steel shaft designed for unplanned loads
- Complete impeller/diffuser stack assembly can be removed and replaced to bring pump performance back up to factory tolerances



DRIVER

- Pump motor bracket is designed for a standard, stocked NEMA motor
- Wide variety of motor enclosures available including ODP, TEFC
- IEC motors available upon request

COUPLING

- Unique clamshell design making disconnection of the motor very easy
- Keyed to keep the rotor assembly in the proper axial position

UPPER PUMP HOUSING

- Supplied standard in A48 class 30 cast iron with all 304 stainless steel or all 316 stainless steel construction available
- Integral external threaded port for optional instrumentation to protect against dry-running or high temperature operation
- Supplied standard with a threaded Ameriflo cartridge mechanical seal easily removable and replaceable
- Integral 304 stainless steel coupling guard

LOWER PUMP HOUSING

- Supplied standard in A48 class 30 cast iron with all 304 stainless steel or all 316 stainless steel construction available
- Vertical inline piping arrangement making installation very easy and clean
- Suction and discharge flanges supplied in 250 PSI rating with raised face for high pressure applications
- Optional grooved, oval and/or threaded connections available upon request
- Heavy duty cast base supplied standard to aid in easy installation



How It All Began EFFICIENCY BY DESIGN

With years of manufacturing experience, Ameriflo has spent considerable time developing what the customer has asked for. The most diverse hydraulic offering in the vertical multistage markets with an emphasis on pump efficiency and systems integration. Ameriflo manufactures all product type in a wide variety of standard and optional materials offering you the solution you need.

Ameriflo is a global manufacturer of integrated systems with facilities located in several countries and has clients in over 80 countries. The corporate manufacturing headquarters is located in Tennessee, along with a very large testing and training facility for distributor and representative training.

Ameriflo uses computational fluid dynamics (CFD) and 3D Solids Works for designing all pumps and systems with detail for all valves, suction & discharge piping and any installed optional accessories specified by the end user. Electric and Diesel engine driven systems are available and can be ordered in a variety of flows and pressures with full optional metallurgy support.

Product Line

The benefit to the Ameriflo offering is that you only need to go to one place for your product line needs. Whether your need is an end suction pump, a large split case or even a vertical turbine Ameriflo has a model for you. Each product line has a very diverse offering from the very small to the very large and everything in between. Do not rely on other manufacturers who have broken product lines with missing models.

Ameriflo also has state-of-the-art engineered customer service.

www.ameriflo-usa.com



The applications engineering part of Ameriflo have decades of engineering and specification work. This background and experience is critical when the design engineer is looking for answers to questions.

Ameriflo has one of the largest test facilities in North America with nearly 300,000 gallons of water utilizing 8 different test loops from 2 inch through 36 inch. The horizontal and vertical test labs have ratings up through 1,000 HP and include string test stands allowing testing with the job motor or Diesel engine.

Communication Is The Key To Our Success

Ameriflo has systems in place making communication with our clients of the utmost priority. Each client has their own customer portal that will allow them to check on all quotations, sales orders and any client case that is generated. These tools put the power in the hands of the client and allow them access to the most current information. This access empowers our clients to respond to their customers in a more timely fashion and secure that next opportunity!

Ameriflo also has a dedicated

theater used for sales and service training. This theater can house approximately 35 students and is used to cover the Ameriflo pump and Diesel engine product lines. Schools are available to sales people and dedicated service schools are also offered. Service schools feature a hands on portion allowing students to disassemble and re-assemble pumps and/or Diesel engines to allow for certified repairs in the field. Contact Ameriflo to inquire about the next school and how you can join in these events.

Ameriflo also has a state-of-the-art software selection package with full configuration, **Ameriflo IQ**, that can be used by simply signing up. E-mail us for additional information.

If you would like more information about what Ameriflo is all about, please contact us.

What separates Ameriflo from the competition, **WE DELIVER.....**

Ameriflo Corporation

125 Morrison Road
Rossville, TN 38066
Phone: (888) 301-6311
www.ameriflo-usa.com

support@ameriflo-usa.com

4710 VM Vertical Multistage
07/01/2023 Revision 1A